Page 3 of 20

#### Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### **Listing of Claims**:

- (Currently Amended) A method of reducing the volume of data representing an image, the image represented by a plurality of pixels, each pixel encoded by an original number of bits, said method comprising:
  - (a) dividing the image into a plurality of tiles;
  - (b) for each tile:
    - (i) identifying the colors represented in the tile;
    - (ii) <u>identifying a required number of masks to</u> represent the colors;
    - (iii) comparing the required number of masks with a threshold number of masks;
    - (iii iv) if the required number of masks is less than the threshold number of masks, generating computer-readable instructions to represent the tile using one or more of the techniques selected from the a group consisting of fills and masks.
- 2. (Original) The method of Claim 1 further comprising: for each tile:
  - if the required number of masks is greater than or equal to the threshold number of masks, generating computer-readable instructions to represent the tile using the original number of bits per pixel or a smaller index.
- 3. (Original) The method of Claim 2, wherein generating computer-readable instructions to represent the tile using the original number of bits per pixel or a smaller index comprises;
  - (a) determining the color in the tile which, if chosen as a background color, causes the remaining colors in the tile to be located in the smallest rectangular area in the tile;

Page 4 of 20

- (b) selecting the color identified in (a) as the background color for the tile;
- (c) generating computer-readable instructions to represent the smallest rectangular area in the tile with the original bits per pixel or an index.
- 4. (Original) The method of Claim 3 further comprising generating computer-readable instructions to fill the tile with the background color if the background color is not the default color.
- 5. (Currently Amended) The method of Claim 2, wherein generating computer-readable instructions to represent the tile using the original number of bits per pixel or a smaller index comprises:
  - (a) determining whether a data savings is achieved if an index is used to represent the tile;
  - (b) if a data savings is not achieved, generating computer readable instructions representing the tile with the original bits per pixel.
- (c) if a data savings is not achieved, generating computer-readable instructions representing the tile with the original bits per pixel.
- 6. (Original) The method of Claim 1, wherein the threshold number of masks equals the original number of bits per pixel representing the image.
- 7. (Original) The method of Claim 1, wherein the threshold number of masks is user-defined as a user input or system configuration.
- 8. (Original) The method of Claim 1, wherein the threshold number of masks is a fixed number less than the original number of bits per pixel.

- 9. (Currently Amended) The method of Claim 1, wherein generating computer-readable instructions to represent a tile using one or more of the techniques selected from the group comprising fills and masks comprises:
  - (a) determining whether there are no default-colored pixels in the tile and whether a non-default background should be chosen for the tile;
  - (b) if there are default-colored pixels in the tile or if a non-default background should not be chosen, selecting the default color as the background color for the tile;
  - (c) if there are not default-colored pixels in the tile and a non-default background should be chosen, selecting a non-default color for the background and generating computer-readable instructions to fill the tile with the selected non-default background color;
  - (d) determining whether there are any non-background colors in the tile;
  - (e) if there are any non-background colors:
    - (i) selecting a non-background color;
    - (ii) generating computer readable instructions to represent the pixels in an area of the tile with the selected non-background color as a mask;
    - (iii) repeating steps (i) and (ii) for each
       additional, if any, non-background color.
- 10. (Original) The method of Claim 9, wherein the area of the tile represented with the selected non-background color as a mask is the entire area of the tile.
- 11. (Original) The method of Claim 9, wherein the area of the tile represented with the selected non-background color as a mask is a minimal area within the tile in which the non-background color is located.
- 12. (Original) The method of Claim 11, wherein the minimal area within the tile in which the non-background color is

Page 6 of 20

located is a rectangular area determined by the minimum and maximum x and y values in the tile for the non-background color.

- 13. (Currently Amended) The method of Claim 1, wherein generating computer-readable instructions to represent a tile using one or more of the techniques selected from the group comprising files and masks comprises:
  - (a) selecting a background color;
  - (b) if the background color needs to be rendered, generating computer-readable instructions to fill the tile with the selected background color; and
  - (c) for each non-background color, if any, in the tile, generating computer-readable instructions to represent the pixels in an area of the tile with the non-background color as a mask.
- 14. (Original) The method of Claim 13, wherein the background color is selected arbitrarily from the colors identified in the tile.
- 15. (Original) The method of Claim 13, wherein the background color is the color which has the greatest number of pixels in the tile.
- 16. (Original) The method of Claim 13, wherein the background color is the color for which the rectangle bounding the pixels of that color within the tile is the largest.
- 17. (Original) The method of Claim 13, wherein the background color is the color identified in the tile which, when represented as a mask, compresses the least.
- 18. (Currently Amended) The method of Claim 1, wherein generating computer-readable instructions to represent a tile using one or more of the techniques selected from the group comprising fills and masks comprises:

Page 7 of 20

for each renderable color in the tile, generating computer-readable instructions to represent the pixels in an area of the tile with the renderable color as a mask.

- 19. (Currently Amended) A method of reducing the volume of data representing a digital image, the digital image comprising a plurality of pixels, each pixel represented by an original number of data bits, the method comprising:
  - (a) dividing the image into a plurality of tiles;
  - (b) for each tile:
    - (i) identifying the colors represented in the tile;
    - (ii) identifying a required number of masks to represent the colors;
    - (iii) comparing the required number of masks with a threshold number;
    - (iii iv) if the required number of masks is less
      than the threshold number of masks,
      - (A) selecting a background color;
      - (B) if the background color needs to be rendered, generating computer-readable instructions to fill the tile with the selected background color;
      - (C) determining whether there are any non-background colors in the tile; and
      - (D) if there are any non-background color in the tile:
        - selecting a non-background color;
        - (2) generating computer-readable instructions to represent the pixels in an area of the tile with the selected non-background color as a mask; and
        - (3) repeating (D) (1) (D) (2) for each additional non-background color.
- 20. (Original) The method of Claim 19 further comprising: for each tile:

- if the required number of masks is greater than or equal to the threshold number of masks, generating computer-readable instructions to represent the tile using the original number of bits per pixel or a smaller index.
- 21. (Original) The method of Claim 20, wherein generating computer-readable instructions to represent the tile using the original number of bits per pixel or a smaller index comprises:
  - (a) determining the color in the tile which, if chosen as a background color, causes the remaining colors in the tile to be located in the smallest rectangular area in the tile;
  - (b) selecting the color identified in (a) as the background color for the tile;
  - (c) generating computer-readable instructions to represent the smallest rectangular area in the tile with the original bits per pixel or an index.
- 22. (Original) The method of Claim 21 further comprising generating computer-readable instructions to fill the tile with the background color if the background color is not the default color.
- 23. (Currently Amended) The method of Claim 20, wherein generating computer-readable instructions to represent the tile using the original number of bits per pixel or a smaller index comprises:
  - (a) determining whether a data savings is achieved if an index is used to represent the tile;
  - (b) if a data savings is not achieved, generating computer-readable instructions representing the tile with the original bits per pixel; and
- ---(c) if a data savings is not achieved, generating computer-readable instructions representing the tile with the original bits per pixel.

- 24. (Original) The method of Claim 19, wherein the area of the tile represented with the selected non-background color as a mask is the entire area of the tile.
- 25. (Original) The method of Claim 19, wherein the area of the tile represented with the selected non-background color as a mask is a minimal area within the tile in which the non-background color is located.
- 26. (Original) The method of Claim 25, wherein the minimal area within the tile in which the non-background color is located is a rectangular area determined by the minimum and maximum x and y values in the tile for the non-background color.
- 27. (Currently Amended) A method of reducing the volume of data representing a digital image, the digital image comprising a plurality of pixels, each pixel represented by an original number of data bits, the method comprising:
  - (a) dividing the image into a plurality of tiles;
  - (b) for each tile:
    - (i) identifying the colors represented in the tile;
    - (ii) identifying a required number of masks to represent the colors;
    - (iii) comparing the required number of masks with a threshold number of masks;
    - (iii iv) if the required number of masks is less than the threshold number of masks, generating computer-readable instructions to represent the tile with each of the identified colors as a mask.
- 28. (Original) The method of Claim 27 further comprising: for each tile:
  - if the required number of masks is greater than or equal to the threshold number of masks, generating

computer-readable instructions to represent the tile using the original number of bits per pixel or a smaller index.

- 29. (Original) The method of Claim 28, wherein generating computer-readable instructions to represent the tile using the original number of bits per pixel or a smaller index comprises:
  - (a) determining the color in the tile which, if chosen as a background color, causes the remaining colors in the tile to be located in the smallest rectangular area in the tile:
  - (b) selecting the color identified in (a) as the background color for the tile;
  - (c) generating computer-readable instructions to represent the smallest rectangular area in the tile with the original bits per pixel or an index.
- 30. (Original) The method of Claim 29 further comprising generating computer-readable instructions to fill the tile with the background color if the background color is not the default color.
- 31. (Currently Amended) The method of Claim 28, wherein generating computer-readable instructions to represent the tile using the original number of bits per pixel or a smaller index comprises:
  - (a) determining whether a data savings is achieved if an index is used to represent the tile;
  - (b) if a data savings is not achieved, generating computer-readable instructions representing the tile with the original bits per pixel, and
- computer-readable instructions representing the tile with the original bits per pixel.

- 32. (Original) The method of Claim 27, wherein the area of the tile represented with the selected non-background color as a mask is the entire area of the tile.
- 33. (Original) The method of Claim 27, wherein the area of the tile represented with the selected non-background color as a mask is a minimal area within the tile in which the non-background color is located.
- 34. (Original) The method of Claim 33, wherein the minimal area within the tile in which the non-background color is located is a rectangular area determined by the minimum and maximum x and y values in the tile for the non-background color.
- 35. (Currently Amended) A method of reducing the volume of data representing an image, the image represented by a plurality of pixels, each pixel encoded by an original number of bits, said method comprising:
  - (a) dividing the image into a plurality of tiles;
  - (b) for each tile:
    - (i) identifying the colors represented in the tile,
    - (ii) <u>identifying a required number of masks to</u> <u>represent the colors;</u>
    - (iii) determining whether a data savings can be achieved by using masks to represent the tile; said data savings determination based on the required number of masks and a threshold number of masks;
    - (iii iv) if a data savings is possible,
      - (A) selecting a background color;
      - (B) if the background color is needs to be rendered, generating computer-readable instructions to fill the tile with the selected background color;
      - (C) determining whether there are any non-background colors in the tile; and

Page 12 of 20

- (D) if there are any non-background colors in the tile:
  - selecting a non-background color;
  - (2) generating computer-readable instructions to represent the pixels in an area of the tile with the selected non-background color as a mask; and
  - (3) repeating (D) (1) (D) (2) for any
    additional non-background color, if
    any, in the tile.
- 36. (Currently Amended) A method of reducing the volume of data representing an image, the image represented by a plurality of pixels, each pixel encoded by an original number of bits, said method comprising:
  - (a) dividing the image into a plurality of tiles;
  - (b) for each tile:
    - (i) identifying the colors represented in the tile;
    - (ii) identifying a required number of masks to represent the colors:
    - (iii) determining whether a data savings can be achieved by using masks to represent the tile, said data savings determination based on the required number of masks and a threshold number of masks;
    - (iii iv) if a data savings is possible,
      - (A) selecting a color in the tile;
      - (B) generating computer-readable instructions to represent the pixels in an area of the tile with the selected color as a mask;
      - (C) repeating steps (A)-(B) for each additional identified color, if any, in the tile.
- 37. (Currently Amended) A method of reducing the volume of data representing an image, the image represented by a

Page 13 of 20

plurality of pixels, each pixel encoded by an original number of bits, said method of comprising:

- (a) dividing the image into a plurality of tiles;
- (b) for each tile;
  - identifying the colors represented in the tile; (i)
  - (ii) determining whether a data savings is achievable using an index to represent the colors in the tile; and
  - if a data savings is achievable, representing (iii) the tile using an index.
- 38. The method of Claim 37, further comprising: for each tile:

if a data savings is not achievable, using the original data bits to represent the tile.

- 39. (Currently Amended) A system for reducing the volume of data representing an image, the image represented by a plurality of pixels, each pixel encoded by an original number of bits, said system comprising:
  - a processing unit; and
  - a storage medium coupled to the processing unit, the storage medium storing program code implemented by the processor for:
  - (a) dividing the image into a plurality of tiles;
  - (b) for each tile:
    - identifying the colors represented in the tile;
    - (ii) identifying a required number of masks to represent the colors;
    - (iii) \_comparing the required number of masks with a threshold number of masks;
    - if the required number of masks is less (iii iv) than the threshold number of masks, generating computer-readable instructions to represent the tile using one or more of the techniques selected from the a group consisting of fills and masks.

Page 14 of 20

- 40. (Currently Amended) A system for reducing the volume of data representing a digital image, the digital image comprising a plurality of pixels, each pixel represented by an original number of data bits, the system comprising:
  - a processing unit; and
  - a storage medium coupled to the processing unit, the storage medium storing program code implemented by the processor for:
  - (a) dividing the image into a plurality of tiles;
  - (b) for each tile:
    - (i) identifying the colors represented in the tile;
    - (ii) identifying a required number of masks to represent the colors:
    - (iii) comparing the required number of masks with a threshold number;
    - (<u>iii</u> <u>iv</u>) if the required number of masks is less than the threshold number of masks,
      - (A) selecting a background color;
      - (B) if the background color needs to be rendered, generating computer-readable instructions to fill the tile with the selected background color;
      - (C) determining whether there are any non-background colors in the tile; and
    - (D) if there are any non-background color in the tile:
      - selecting a non-background color;
      - (2) generating computer-readable instructions to represent the pixels in an area of the tile with the selected non-background color as a mask; and
      - (3) repeating (D) (1) (D) (2) for each additional non-background color.
- 41. (Currently Amended) A system for reducing the volume of data representing a digital image, the digital image

comprising a plurality of pixels, each pixel represented by an original number of data bits, the system comprising:

- a processing unit; and
- a storage medium coupled to the processing unit, the storage medium storing program code implemented by the processor for:
- (a) dividing the image into a plurality of tiles;
- (b) for each tile:
  - (i) identifying the colors represented in the tile;
  - (ii) identifying a required number of masks to represent the colors;
  - (iii) comparing the required number of masks with a threshold number of masks;
  - (iii iv) if the required number of masks is less than the threshold number of masks, generating computer-readable instructions to represent the tile with each of the identified colors as a mask.
- 42. (Currently Amended) A system for reducing the volume of data representing an image, the image represented by a plurality of pixels, each pixel encoded by an original number of bits, said method comprising:
  - a processing unit; and
  - a storage medium coupled to the processing unit, the storage medium storing program code implemented by the processor for:
  - (a) dividing the image into a plurality of tiles;
  - (b) for each tile:
    - (i) identifying the colors represented in the tile;
    - (ii) identifying a required number of masks to represent the colors;
    - (iii) determining whether a data savings can be achieved by using masks to represent the tile; said data savings determination based on the required number of masks and a threshold number of masks;

Page 16 of 20

- (iii iv) if a data savings is possible,
  - (A) selecting a background color;
  - (B) if the background color is needs to be rendered, generating computer-readable instructions to fill the tile with the selected background color;
  - (C) determining whether there are any non-background colors in the tile; and
  - (D) if there are any non-background colors in the tile:
    - selecting a non-background color;
    - (2) generating computer-readable instructions to represent the pixels in an area of the tile with the selected non-background color as a mask; and
    - (3) repeating (D)(1) (D)(2) for any additional non-background color, if any, in the tile.
- 43. (Currently Amended) A system for reducing the volume of data representing an image, the image represented by a plurality of pixels, each pixel encoded by an original number of bits, said system comprising:
  - a processing unit; and
  - a storage medium coupled to the processing unit, the storage medium storing program code implemented by the processor for:
  - (a) dividing the image into a plurality of tiles;
  - (b) for each tile:
    - (i) identifying the colors represented in the tile;
    - (ii) <u>identifying a required number of masks to</u> represent the <u>colors</u>;
    - (iii) determining whether a data savings can be achieved by using masks to represent the tile, said data savings determination based on the required number of masks and a threshold number of masks;

Page 17 of 20

- (iii iv) if a data savings is possible,
  - (A) selecting a color in the tile;
  - (B) generating computer-readable instructions to represent the pixels in an area of the tile with the selected color as a mask;
  - (C) repeating steps (A) (B) for each
     additional identified color, if any, in
     the tile.
- 44. (Currently Amended) A system for reducing the volume of data representing an image, the image represented by a plurality of pixels, each pixel encoded by an original number of bits, said system comprising:
  - a processing unit; and
  - a storage medium coupled to the processing unit, the storage medium storing program code implemented by the processor for:
  - (a) dividing the image into a plurality of tiles;
  - (b) for each tile;
    - (i) identifying the colors represented in the tile;
    - (ii) determining whether a data savings is achievable using an index to represent the colors in the tile; and
    - (iii) if a data savings is achievable, representing the tile using an index.